LIST OF SETS ISSUED, JANUARY 1964 TO DECEMBER 1983

1. Rusts;
2. Bacteria;
3. Fusarium;
4. Phytophthora and Pythium;
5. Bacteria;
6. Rusts;
7. Dermatophytes;
8. Smuts;
9. Sphaeropsidales;
10. Aspergillus and Penicillium;
11. Mucorales;
12. Phytophthora and Pythium;
13. Bacteria;
14. Coelomycetes;
15. Ascomycetes;
16. Powdery mildews;
17. Hyphomycetes;
18. Rusts;
19. Endomycetales and Erysiphales;
20. Polypores;
21. Rusts;
22. Fusarium;
23. Miscellaneous;
24. Bacteria;
25. Alternaria;
26. Verticillium etc.;
27. Rusts;
28. Miscellaneous;
29. Rusts;
30. Rusts, smuts etc.;
31. Drechslera etc.;
32. Colletotrichum, Pestalotiopsis etc.;
33. Tree pathogens;
34. Ascomycetes and Sphaeropsidales;
35. Hyphomycetes;
36. Xylariaceae;
37. Tree pathogens;
38. Bacteria;
39. Cereal pathogens;
40. Ascomycetes and Sphaeropsidales;
41. Venturia, Rhizoctonia etc.;
42. Cercospora;
43. Cylindrocladium;
44. Hyphomycetes and Ascomycetes;
45. Tree pathogens;
46. Peronosporales;
47. Coelomycetes;
48. Hyphomycetes and rusts;
49. Ascomycetes, Fungi Imperfecti;
50. Hyphomycetes;
51. Hyphomycetes and Pestalotiopsis etc;
52. Sclerotinia, Pestalotiopsis etc;
53. Mucorales;
54. Ascomycetes, Fungi Imperfecti;
55. Rusts;
56. Bacteria;
57. Lophodermium etc;
58. Fusarium and rusts;
59. Miscellaneous;
60. Oomycetes;
61. Entomogenous fungi;
62. Entomogenous fungi and Sclerotinia;
63. Miscellaneous;
64 Ascomycetes and Sphaeropsidales;
65. Dermatophytes;
66. Ascomycetes, Phacidiales etc;
67. Ascomycetes, Fungi Imperfecti;
68. Miscellaneous;
69. Peronosporales;
70. Bacteria;
71. Ascomycetes;
72. Ascomycetes and smuts;
73. Cercospora, Cochliobolus;
74. Ascochyta, Phomopsis;
75. Miscellaneous;
76. Chytridiales;
77. Peronospora and Sclerospora;
78. Miscellaneous;
79. Hysteriales;
80. Hysteriales;

INDEX OF SHEETS 1–800

BACTERIA

Agrobacterium rhizogenes, 41
— tumefaciens, 42
Aplanobacter populi, 231
Corynebacterium betae, 374
— fascians, 121
— flaccumfaciens, 43
— insidiosum, 13
— michiganense, 19
— oortii, 375
— rathayi, 376
— sepedonicum, 14
— tritici, 377
Cylindrocladium ilicicola, 425
Erwinia amylovora, 44
— carotovora var. atroseptica, 551
— carotovora var. carotovora, 552
— chrysanthemi, 553
— cypripedii, 554
— herbicola, 232
— mallotivora, 691
— nigrifluens, 692
Erwinia quercina, 693
— rhapontici, 555
— rubrifaciens, 694
— salicis, 122
— stewartii, 123
— tracheiphila, 233
— uredovora, 234
Pseudomonas alboprecipitans, 371
— amygdali, 556
— andropogonis, 372
— caryophylli, 373
— cichorii, 695
— coronafaciens, 235
— lachrymans, 124
— mors-prunorum, 125
— oryzicola, 236
— phaseolicola, 45
— pisi, 126
— rubrilineans, 127
— rubrisubalbicans, 128
— sesami, 17, 696

Pseudomonas setariae, 237
— solanacearum, 15
— striafaciens, 238
— syringae, 46
— syringae pv. sesami, 696
— tabaci, 129
Streptomyces ipomoeae, 697
Xanthomonas albilineans, 18
— ampelina, 378
— axonopodis, 557
— campestris, 47
— campestria pv. alfalfae, 698
— campestris pv. begoniae, 699
— campestris pv. sesami, 700
— citri, 11
Xanthomonas fragariae, 558
— juglandis, 130
— malvacearum, 12
— manihotis, 559
— oryzae, 239
— oryzicola, 240
— pelargonii, 560
— phascoli, 48
— phaseoli var. fuscans, 49
— pruni, 50
— ricini, 379
— sesami, 16, 700
— vasculorum, 380
— vesicatoria, 20

FUNGI

Absidia corymbifera, 101, 521
— ramosa, 102
Achlya ambisexualis, 596
Acremonium kiliense, 741
— recifei, 742
— zonatum, 502
Acroconidiella tropaeoli, 161
Albugo candida, 460
— ipomoeae-panduratae, 459
— tragopogonis, 458
Alternaria brassicae, 162
— brassicicola, 163
— burnsii, 581
— carthami, 241
— chrysanthemi, 164
— citri, 242
— crassa, 243
— cucumerina, 244
— helianthi, 582
— longipes, 245
— macrospora, 246
— padwickii, 345
— passiflorae, 247
— porri, 248
— radicina, 346
— ricini, 249
— sesami, 250
— solani, 475
— triticina, 583
Aphanomyces euteiches, 600
Armillariella mellea, 321
Arthroderma simii, 641
Ascochyta avenae, 731
— desmazieresii, 661
— fabae, 461
— gossypii, 271
— heveae, 631
— phaseolorum, 81
— pisi, 334
— rabiei, 337
— sorghi, 632
Ascosphaera apis, 601
Aspergillus flavus, 91
— fumigatus, 92
— nidulans, 93
— niger, 94
— terreus, 95
Asperisporium caricae, 347
Balansia oryzae-sativae, 640
Basidiophora entospora, 681
Beauveria bassiana, 602
Beauveria brongniartii, 603
Bifusella linearis, 782
Botryodiplodia theobromae, 519
Botryosphaeria obtusa, 394
— ribis, 395
— zeae, 774
Botrytis allii, 433
— fabae, 432
Bremia lactucae, 682
Calonectria colhounii, 430
— crotalariae, 429
— hederae, 426
— kyotensis, 421
— quinqueseptata, 423
— rigidiuscula, 21
— theae, 424
Calostilbe striispora, 392
Ceratocystis fimbriata, 141
— moniliformis, 142
— paradoxa, 143
— ulmi, 361
Cercospora beticola, 721
— brassicicola, 722
— canescens, 462
— capsici, 723
— carthami, 626
— coffeicola, 415
— cruenta, 463
— elaeidis, 464
— fuligena, 465
— kikuchii, 466
— koepkei, 417
— longipes, 418
— nicotianae, 416
— oryzae, 420
— pini-densiflorae, 329
— sequoiae, 366
— sesami, 627
— sorghi, 419
Cerotelium fici, 281
Cheilaria agrostidis, 488
Chrysomyxa abietis, 576
— weirii, 221
Cladosporium allii-cepae, 679
— cucumerinum, 348
Clypeoporthe iliau, 705
Coccomyces vilis, 792
Cochliobolus carbonum, 349
— cymbopogonis, 726
— geniculatus, 727
— hawiiensis, 728

Cochliobolus heterostrophus, 301
— lunatus, 474
— miyabeanus, 302
— nodulosus, 341
— sativus, 701
— setariae, 473
— spicifer, 702
— victoriae, 703
Coleosporium ipomoeae, 282
Colletotrichum acutatum, 630
— capsici, 317
— coccodes, 131
— graminicola, 132
— lindemuthianum, 316
— musae, 222
Coniella diplodiella, 82
Coniothyrium minitans, 732
Cordana musae, 350
Cordyceps dipterigena, 604
— militaris, 605
Corticium rolfsii, 410
— salmonicolor, 511
Corynespora cassiicola, 303
Crinipellis perniciosa, 223
Cronartium coleosporioides, 577
— comandrae, 578
— comptoniae, 579
— flaccidum, 580
— ribicola, 283
Cryphonectria parasitica, 704
Cryptodiaporthe populea, 364
Cryptostroma corticale, 539
Culicinomyces clavisporus, 611
Cumminsiella mirabilissima, 261
Cunninghamella echinulata, 103
Curvularia trifolii f.sp gladioli, 307
Cylindrocladium braziliensis, 427
— camelliae, 428
— clavatum, 422
— ilicicola, 425
— scoparium, 362
Cylindrosporium concentricum, 536
Cymadothea trifolii, 393
Cytospora sacchari, 777
Davisomycella ampla, 561
Deightoniella torulosa, 165
Deuterophoma tracheiphila, 399
Diaporthe capsici, 733
— citri, 396
— manihotis, 734
— phaseolorum, 336
— woodii, 476
Dibotryon morbosum, 224
Didymella applanata, 735
— bryoniae, 332
— chrysanthemi, 662
— exitialis, 633
— lycopersici, 272
Didymosphaeria arachidicola, 736
Dilophospora alopecuri, 490
Dimeriella sacchari, 775
Diplocarpon earliana, 486
— maculatum, 481
— rosae, 485
Diplodia macrospora, 83
— maydis, 84
— pinea, 273
Dothiora ribesia, 707
Drechslera heveae, 343
— incurvata, 342
— iridis, 434
Drechslera sacchari, 305
— siccans, 492
— sorghicola, 491
— stenospila, 306
Drepanopeziza ribis, 638
Elsinoe ampelina, 439
— australis, 440
— canavaliae, 313
— fawcettii, 438
— phaseoli, 314
— veneta, 484
Elytroderma deformans, 655
— torres-juanii, 654
Emericella nidulans, 93
Emmonsiella capsulata, 648
Endothia eugeniae, 363
— gyrosa, 449
Entomophthora grylli, 606
Entyloma oryzae, 296
Epichloe typhina, 639
Epicoccum purpurascens, 680
Epidermophyton floccosum, 642
Eremothecium ashbyi, 181
Erysiphe betae, 151
— bicornis, 190
— cichoracearum, 152
— cruciferarum, 251
— graminis, 153
— heraclei, 154
— pisi, 155
— polygoni, 509
— trifolii, 156
Eutypa armeniacae, 436
Exobasidium japonicum, 780
— vaccinii, 778
— vexans, 779
Exophiala jeanselmei, 743
— pisciphila, 744
— salmonis, 745
Filobasidiella bacillospora, 650
— neoformans, 649
Fomitopsis rosea, 191
Fulvia fulva, 487
Fusarium avenaceum, 25
— culmorum, 26
— equiseti, 571
— heterosporum, 572
— oxysporum, 211
— oxysporum f.sp. batatas, 212
— oxysporum f.sp. conglutinans, 213
— oxysporum f.sp. cubense, 214
— oxysporum f.sp. cucumerinum, 215
— oxysporum f.sp. elaeidis, 216
— oxysporum f.sp. lycopersici, 217
— oxysporum f.sp. melonis, 218
— oxysporum f.sp. niveum, 219
— oxysporum f.sp. tracheiphilum, 220
— oxysporum f.sp. vasinfectum, 28
— poae, 308
— redolens, 27
— semitectum, 573
— solani, 29
— stilboides, 30
— sulphureum, 574
— udum, 575
Gaeumannomyces graminis var. avenae, 382
— graminis var. gramini, 381
— graminis var. tritici, 383
Ganoderma applanatum, 443
— boninense, 444
— lucidum, 445

Ganoderma philippii, 446
— tornatum, 447
— zonatum, 448
Gibberella baccata, 310
— fujikuroi, 22
— fujikuroi var. subglutinans, 23
— pulicaris, 385
— xylarioides, 24
— zeae, 384
Gibellina cerealis, 534
Gibellula pulchra, 672
Gilbertella persicaria, 104
— persicaria var. indica, 105
Gloeocercospora sorghi, 300
Glomerella cingulata, 315
— tucumanensis, 133
Gnomonia comari, 737
Greeneria uvicola, 538
Gremmeniella abietina, 369
Guignardia bidwellii, 710
— citricarpa, 85
— musae, 467
Gymnoconia nitens, 201
Gymnosporangium asiaticum, 541
— clavariiforme, 542
— clavipes, 543
— confusam, 544
— fuscum, 545
— globosum, 546
— juniperi-virginianae, 547
— libocedri, 548
— tremelloides, 549
— yamadae, 550
Haplobasidion musae, 496
Helminthosporium solani, 166
Hemileia coffeicola, 2
— vastatrix, 1
Hendersonula toruloidea, 274
Herpotrichia coulteri, 327
— juniperi, 328
Heterobasidion annosum, 192
Hirsutella citriformis, 607
— thompsonii, 608
Hymenula cerealis, 501
Hypoderma rubi, 781
Hypoxylon mammatum, 356
— mediterraneum, 359
— rubiginosum, 357
— serpens, 358
Inonotus hispidus, 193
— weirei, 323
Isthmiella faullii, 793
Kabatina thujae, 489
Khuskia oryzae, 311
Kuehneola uredinis, 202
Laetiporus sulphureus, 441
Leptomitus lacteus, 597
Leptosphaeria avenaria f.sp. avenaria, 312
— bicolor, 771
— coniothyrium, 663
— maculans, 331
— michotii, 144
— nodorum, 86
— sacchari, 145
— salvinii, 344
— taiwanensis, 506
— trifolii, 146
Leveillula taurica, 182
Lirula macrospora, 794
— nervisequia, 783
Lophodermella conjuncta, 658
Lophodermella sulcigena, 562
Lophodermium agathidis, 784
— australe, 563
— baculiferum, 795
— canberrianum, 564
— conigenum, 565
— durilabrum, 796
— indianum, 787
— juniperinum, 797
— kumaunicum, 786
— mangiferae, 798
— nitens, 566
— orientale, 788
— pinastri, 567
— pini-excelsae, 785
— seditiosum, 568
— vagulum, 789
Lophomerum ponticum, 790
Macrophomina phaseolina, 275
Melampsora larici-populina, 479
— lini, 51
— medusae, 480
— ricini, 171
Meloderma desmazierii, 569
Metarhizium anisopliae, 609
— flavoviride, 622
Microcyclus ulei, 225
Micronectriella nivalis, 309
Microsphaera grossulariae, 252
— penicillata, 183
Microsporum audouinii, 61
— canis, 62
— distortum, 63
— equinum, 64
— ferrugineum, 65
Monilia roreri, 226
Monographella albescens, 729
Mortierella wolfii, 530
Mucor michei, 528
— pusillus, 106, 527
— racemosus, 107, 529
Mycocentrospora acerina, 537
Mycogone perniciosa, 499
— rosea, 500
Mycosphaerella arachidis, 411
— berkeleyi, 412
— brassicicola, 468
— citri, 510
— fijiensis, 413
— fragariae, 708
— holci, 584
— linicola, 709
— macrospora, 435
— musicola, 414
— pinodes, 340
Mycovellosiella cajani, 628
— concors, 724
— nattrassii, 629
— vaginae, 725
Myrothecium roridum, 253
Naemacyclus minor, 659
— niveus, 660
Nannizzia fulva, 66
— grubyia, 67
— gypsea, 68
— incurvata, 69
— obtusa, 70
— persicolor, 643
Nectria aurantiicola, 714
— cinnabarina, 531
— coccinea, 532
— coccinea var. faginata, 533

Nectria flammea, 715
— fuckeliana, 624
— galligena, 147
— macrospora, 623
— radicicola, 148
Nematospora coryli, 184
— gossypii, 185
Nomuraea rileyi, 612
Oidium heveae, 508
Olivea tectonae, 365
Paecilomyces farinosus, 613
— fumosoroseus, 614
— tenuipes, 615
Pencillium digitatum, 96
— expansum, 97
— gladioli, 98
— italicum, 99
Periconia circinata, 167
— macrospinosa, 168
Peronsclerospora sorghi, 761
Peronospora alta, 683
— anemones, 684
— antirrhini, 685
— arborescens, 686
— cytisi, 762
— destructor, 456
— dianthi, 763
— dianthicola, 764
— farinosa f.sp. betae, 765
— grisea, 766
— hariotii, 767
— jaapiana, 687
— lamii, 688
— manshurica, 689
— sparsa, 690
— trifoliorum, 768
— viciae, 455
Pestalotiopsis dichaeta, 675
— funerea, 514
— guepini, 320
— mangiferae, 676
— palmarum, 319
— psidii, 515
— theae, 318
Pezizella oenotherae, 535
Phacidium infestans, 652
— pini-cembrae, 653
Phaeocytostroma sacchari, 87
Phaeoseptoria musae, 772
— oryzae, 664
Phakopsora gossypii, 172
— pachyrhizi, 589
Phellinus igniarius, 194
— noxius, 195
— pomaceus, 196
— robustus, 197
Phialophora asteris, 505
— cinerescens, 503
— parasitica, 504
Phoma caricae, 634
— epicoccina, 738
— glomerata, 134
— insidiosa, 333
— medicaginis var. pinodella, 518
— prunicola, 135
Phomopsis cucurbitae, 469
— ipomoeae-batatas, 739
— juniperivora, 370
— obscurans, 227
— oryzae-sativae, 665
— sclerotioides, 470
— theae, 330
Phomopsis vexans, 338
— viticola, 635
Phragmidium bulbosum, 203
— micronatum, 204
— rosae-pimpinellifoliae, 205
— rosae-setigerae, 206
— rubi-idaei, 207
— tuberculatum, 208
— violaceum, 209
Phyllachora sacchari, 588
Phyllactinia dalbergiae, 186
— guttata, 157
Physoderma alfalfae, 751
— leproides, 752
— maydis, 753
— pulposum, 754
Physopella ampelopsidis, 173
— zeae, 5
Phytophthora boehmeriae, 591
— cactorum, 111
— cambivora, 112
— cinnamomi, 113
— citricola, 114
— citrophthora, 33
— cryptogea, 592
— erythroseptica, 593
— heveae, 594
— hibernalis, 31
— megasperma, 115
Phytophthora nicotianae var. nicotianae, 34
— nicotianae var. parasitica, 35
— porri, 595
— syringae, 32
Pithomyces chartarum, 540
Plasmodiophora brassicae, 621
Pleiochaeta setosa, 495
Pleospora bjorlingii, 149
— herbarum, 150
— papaveracea, 730
Ploioderma hedgecockii, 799
— lethale, 570
Podosphaera clandestina, 478
— leucotricha, 158
— tridactyla, 187
Polyporus baudonii, 442
Poria hypobrunnea, 322
Potebniamyces coniferarum, 517
Pseudocercospora abelmoschi, 625, 678
Pseudocercospora herpotrichoides, 386
Pseudoperonospora cubensis, 457
Pseudopeziza medicaginis, 637
— trifolii, 636
Puccinia allii, 52
— antirrhini, 262
— apii, 284
— arachidis, 53
— asparagi, 54
— cacabata, 294
— carthami, 174
— chrysanthemi, 175
— cynodontis, 292
— erianthi, 9
— evadens, 620
— granularis, 263
— helianthi, 55
— horiana, 176
— iridis, 285
— kuehnii, 10
— leveillei, 264
— malvacearum, 265

Puccinia menthae, 7
— oahuensis, 516
— pelargonii-zonalis, 266
— penicillariae, 6
— pittieriana, 286
— polysora, 4
— psidii, 56
— purpurea, 8
— schedonnardi, 293
— sorghi, 3
— srtiiformis, 291
— thaliae, 267
Pucciniastrum americanum, 210
Pyrenochaeta lycopersici, 398
— oryzae, 666
— terrestris, 397
Pyrenophora avenae, 389
— dictyoides, 493
— graminea, 388
— teres, 390
— tritici-repentis, 494
Pyricularia oryzae, 169
Pythium aphanidermatum, 36
— arrhenomanes, 39
— butleri, 37
— deliense, 116
— graminicola, 38
— intermedium, 40
— mamillatum, 117
— myriotylum, 118
— oligandrum, 119
— splendens, 120
Ramularia gossypii, 520
Ramulispora sorghi, 585
— sorghicola, 586
Rhabdocline pseudotsugae
ssp. pseudotsugae, 651
Rhizina undulata, 324
Rhizoctonia carotae, 408
— oryzae-sativae, 409
— tuliparum, 407
Rhizopus microsporus, 108, 523
— oryzae, 109, 525
— rhizopodiformis, 522
— sexualis, 526
— stolonifer, 110, 524
Rhizosphaera kalkhoffii, 656
— pini, 657
Rhynchosphaeria cupressi, 325
Rhynchosporium secalis, 387
Rhytisma acerinum, 791
Rigidoporus lignosus, 198
— ulmarius, 199
— zonalis, 200
Rosellinia arcuata, 353
— bunodes, 351
— necatrix, 352
— pepo, 354
Saprolegnia diclina, 598
— ferax, 599
Sarea resinae, 677
Sarocladium attenuatum, 674
— oryzae, 673
Scirrhia acicola, 367
— pini, 368
Sclerospora graminicola, 452, 770
— philippinensis, 454
— sacchari, 453
Sclerotinia fructicola, 616
— fructigena, 617
— fuckeliana, 431
— homoeocarpa, 618
Sclerotinia laxa, 619
— sclerotiorum, 513
Sclerotium cepivorum, 512
Scopulariopsis brevicaulis, 100
Seiridium cardinale, 326
Selenophoma donacis, 400
Septocyta ruborum, 667
Septoria adanensis, 136
— apiicola, 88
— cannabis, 668
— carthami, 669
— chrysanthemella, 137
— cucurbitacearum, 740
— glycines, 339
— helianthi, 276
— lactucae, 335
— leucanthemi, 138
— lycopersici, 89
— obesa, 139
— passerinii, 277
— passifloricola, 670
— socia, 140
— tritici, 90
Setosphaeria rostrata, 587
Soleella striiformis, 800
Sphaceloma fawcettii, 438
— fawcettii var. scabiosa, 437
Sphacelotheca cruenta, 71
— destruens, 72
— reiliana, 73
— sorghi, 74
Sphaeropsis tumefaciens, 278
Sphaerostilbe repens, 391
Sphaerotheca fuliginea, 159
— macularis, 188
— mors-uvae, 254
— pannosa, 189
Spongospora subterranea, 477
Stagonospora sacchari, 776
Stemphylium lycopersici, 471
— sarciniforme, 671
— solani, 472
Sydowia polyspora, 228
Synchytrium endobioticum, 755
— lagenariae, 756
— macrosporum, 757
— phaseoli, 758
— phaseoli-radiati, 759
— psophocarpi, 760
Taphrina deformans, 711
— maculans, 507
— pruni, 713
— wiesneri, 712
Thanatephorus cucumeris, 406
Thielaviopsis basicola, 170
Tilletia barclayana, 75
— caries, 719
— controversa, 746
— foetida, 720
— holci, 747
— indica, 748
Tolyposporium ehrenbergii, 76
— penicillariae, 77
Trachysphaera fructigena, 229
Tranzschelia pruni-spinosae
var. discolor, 287
— pruni-spinosae var. pruni-
spinosae, 288
Trichometasphaeria turcica, 304
Trichophyton schoenleinii, 644
— soudanense, 645
— violaceum, 646

Trichoscyphella willkommii, 450
Uncinula bicornis, 190
— necator, 160
Uredo cajani, 590
— ficina, 289
Urocystis agropyri, 716
— cepulae, 298
Uromyces aloes, 268
— appendiculatus, 57
— betae, 177
— ciceris-arietini, 178
— decoratus, 179
— dianthi, 180
— dolicholi, 269
— geranii, 270
— mucunae, 290
— musae, 295
— pisi-sativi, 59
— striatus, 59
— viciae-fabae, 60
Ustilaginoidea virens, 299
Ustilago avenae, 279
— bullata, 718
— crameri, 78
— cynodontis, 297
— hordei, 749
Ustilago maydis, 79
— nuda, 280
— scitaminea, 80
— striiformis, 717
Ustilago violacea, 750
Ustulina deusta, 360
Valsa eugeniae, 230
Venturia carpophila, 402
— cerasi, 706
— inaequalis, 401
— macularis, 403
— pirina, 404
— populina, 483
— rumicis, 405
— saliciperda, 482
Verticillium albo-atrum, 255
— dahliae, 256
— fungicola, 498
— lecanii, 610
— nigrescens, 257
— nubilum, 258
— psalliotae, 497
— theobromae, 259
— tricorpus, 260
Wojnowicia hirta, 773
Xylaria polymorpha, 355

Issued by the Commonwealth Mycological Institute, Ferry Lane, Kew, Surrey, England.
Printed in Great Britain by The Cambrian News (Aberystwyth) Ltd.

© Commonwealth Agricultural Bureaux, 1984. All rights reserved.

No part of this publication may be reproduced in any form or by any means, electronically, mechanically, by photocopying, recording or otherwise, without the prior permission of the copyright owner.


Digitized by the Internet Archive
in 2025

https://archive.org/details/descriptions-of-fungi-and-bacteria_1964-1983_index